

T-X1

The solution for the automotive glass specialist!

There is a growing trend for modern windscreens to be supplied without the self-adhesive under-glass profile. The responsibility to attach this profile to the glass is left to the fitter prior to the installation of the glass.

With our T-X1 precision application tool, under-glass profiles can now be applied to the glass with greatest accuracy. The profile is affixed with the appropriate pressure and at the correct distance from the glass edge. Detachment due to humidity is avoided.



T-X1: The precision tool that closes the technology gap

The process of attaching under-glass profiles to the windscreen appears to be simple, but positioning the profile accurately is of great importance. Only if the correct adhesion strength is achieved, wind noises or optical issues caused by the inconsistent distance of the profile from the glass edge can be avoided.

Many garages or dealers are able to attach these profiles to the glass by using specialist aftermarket tooling supplied only by the automotive manufacturers. However, the availability of these tools may be restricted to dealers only and/or are very expensive to purchase.

Our T-X1 precision application tool for self-adhesive under-glass profiles is available for the automotive glass specialist. It is an easy-to-use hand tool that complies to OE specifications, designed especially for mobile or base fitting applications.

With T-X1, under-glass profiles can be applied to the glass with the appropriate pressure and affixed at the correct distance from the glass edge, in a straight and even line. Even when fixing round a corner radius. Detachment due to humidity is avoided.

The basic version (Art. No. 01069300) can be used for the vehicle models specified below. By simply changing the upper roll of this tool, it can be used for many other vehicle models.

Note: Always apply the appropriate silk print primers before affixing any self-adhesive under-glass profiles to ensure best adhesion!



- 1** Clean and primer the silk print area.
- 2** Adjust the T-X1 tool and position the profile.
- 3** Apply the under-glass profile.

T-X1 Precision application tool

For self-adhesive automotive glass profiles

- easy and fast
- follows precisely the curve of glass
- accurately maintains position of profile to glass edge according to OE specifications

Roll No. 10 and 11 are pre-mounted on the T-X1.

Note: Made in Germany



Article number	Content	Item/unit
01069300	1	piece
ALFA ROMEO Giulietta (10-) - 2045	FIAT Stilo 5dr (01-07) - 3355	
AUDI A3 Conv. (08-13) - 8599	HYUNDAI Santa Fe III (12-18) - 4153	
BMW 1 Series F20/F21/F22 (11-19) - 2467	HYUNDAI Sonata IV (05-10) - 4130	
BMW 3 Series F30/F31 (11-18) - 2465	HYUNDAI i30 (12-17) - 4151	
BMW 3 Series GT F34 (13-18) - 2469	HYUNDAI i40 (11-) - 4146	
BMW 5 Series F07 GT (09-17) - 2461	HYUNDAI ix20 (10-) - 4142	
BMW 5 Series F10/F11 (10-17) - 2459	KIA Carens (13-) - 4443	
BMW 7 Series F01/F02 (08-15) - 2457	KIA Optima (12-15) - 4441	
BMW X3 F25 (10-17) - 2464	KIA Rio (11-17) - 4440	
BMW X5 F15 (13-18) - 2473	KIA Sorento (09-14) - 4437	
CITROEN Berlingo II (08-18) - 2741	KIA Venga (09-) - 4435	
CITROEN C5 (08-17) - 2740	KIA cee'd (12-18) - 4442	
CITROEN Jumper II (06-14) - 2737	LAND ROVER Range Rover Evoque 3dr (11-18) - 7042	
CITROEN Jumpy II (07-15) - 2736	LAND ROVER Range Rover Evoque 5dr (11-18) - 7043	
FIAT 500 (07-) - 3366	LEXUS CT (11-) - 8402	
FIAT Cromia II (05-10) - 3361	LEXUS IS (05-13) - 8371	
FIAT Ducato III (06-14) - 3750	LEXUS IS Conv. (09-13) - 8383	
FIAT Grande Punto (05-) - 3362	LEXUS RX (09-15) - 8384	
FIAT Scudo II (07-16) - 3752	MERCEDES B-Class W246 (11-18) - 5377	
FIAT Stilo 3dr (01-07) - 3356	MERCEDES CLS W218 Cpé./CLS X218 Shooting Brake (11-) - 5372	



MERCEDES E-Class W212 (09-16) - 5371	SKODA Yeti (09-) - 7813
MERCEDES M-Class W166 (11-15) - 5378	SUBARU Forester IV (13-19) - 7941
MITSUBISHI Outlander (12-) - 5697	SUBARU Legacy V (09-14) - 7936
OPEL Adam (12-) - 6338	TOYOTA Auris (07-12) - 8374
OPEL Insignia A (08-17) - 6293	TOYOTA Auris (12-) - 8409
OPEL Vectra C/Signum (02-09) - 6294	TOYOTA Avensis III (09-) - 8379
PEUGEOT 207 (06-12) - 6548	TOYOTA Camry (07-11) - 8377
PEUGEOT 208/2008 (13-19) - 6564	TOYOTA Corolla Sedan 4dr (06-13) - 8376
PEUGEOT 307 (01-07) - 6542	TOYOTA Land Cruiser J15 (09-) - 8394
PEUGEOT 308 (07-13) - 6554	TOYOTA Land Cruiser V8 (08-) - 8378
PEUGEOT 308 CC (09-13) - 6559	TOYOTA Prius (09-16) - 8385
PEUGEOT 508 (10-18) - 6562	TOYOTA Verso (09-) - 8382
PEUGEOT Boxer II/Boxer II facelift (06-14) - 6552	TOYOTA Yaris II (06-11) - 8370
PEUGEOT Expert/Tepee (06-16) - 6553	VOLVO C30/S40/V50 (04-12) - 8832
PEUGEOT Partner Tepee (08-18) - 6558	VOLVO S80/V70/XC70 (07-16) - 8836
PORSCHE 911 (11-15) - 6731	VOLVO XC60 (08-17) - 8840
PORSCHE Boxster (12-) - 6733	VOLVO XC90 (02-14) - 8831
PORSCHE Cayenne (10-17) - 6729	VW Golf A7 (12-19) - 8618
PORSCHE Cayman (13-) - 6734	VW Golf Conv. (11-) - 8615
SKODA Fabia I (00-07) - 7808	VW Golf Plus (05-13) - 8583
SKODA Fabia II/Roomster (07-14) - 7811	VW Golf Variant/Jetta (07-13) - 8586
SKODA Octavia II (04-13) - 7810	VW Jetta (11-) - 8612
SKODA Superb (08-15) - 7812	VW Polo (09-17) - 8603
	VW Touareg (10-18) - 8606

Profile roll No. 10 for T-X1 precision application tool

Roll No. 10 is already mounted on the T-X1 and is used for all car models, so no model references are shown.

Article number	Content	Item/unit
01069310	1	piece


Profile roll No. 11 for T-X1 precision application tool

Note: Roll No. 11 is already mounted on the T-X1.

Article number	Content	Item/unit
01069311	1	piece



ALFA ROMEO Giulietta (10-) - 2045	MITSUBISHI Outlander (12-) - 5697
BMW 1 Series F20/F21/F22 (11-19) - 2467	OPEL Vectra C/Signum (02-09) - 6294
BMW 3 Series F30/F31 (11-18) - 2465	PEUGEOT 208/2008 (13-19) - 6564
BMW 3 Series GT F34 (13-18) - 2469	PEUGEOT 308 (07-13) - 6554
BMW 5 Series F07 GT (09-17) - 2461	PEUGEOT Expert/Tepee (06-16) - 6553
BMW 5 Series F10/F11 (10-17) - 2459	PEUGEOT Partner Tepee (08-18) - 6558
BMW 7 Series F01/F02 (08-15) - 2457	SUBARU Forester IV (13-19) - 7941
BMW X3 F25 (10-17) - 2464	SUBARU Legacy V (09-14) - 7936
BMW X5 F15 (13-18) - 2473	TOYOTA Auris (07-12) - 8374
CITROEN Berlingo II (08-18) - 2741	TOYOTA Auris (12-) - 8409
FIAT Scudo II (07-16) - 3752	TOYOTA Avensis III (09-) - 8379
LAND ROVER Range Rover Evoque 3dr (11-18) - 7042	TOYOTA Corolla Sedan 4dr (06-13) - 8376
LEXUS CT (11-) - 8402	TOYOTA Land Cruiser J15 (09-) - 8394
LEXUS IS (05-13) - 8371	TOYOTA Land Cruiser V8 (08-) - 8378
LEXUS IS Conv. (09-13) - 8383	TOYOTA Prius (09-16) - 8385
LEXUS RX (09-15) - 8384	TOYOTA Verso (09-) - 8382
	TOYOTA Yaris II (06-11) - 8370


Profile roll No. 12 for T-X1 precision application tool

Article number	Content	Item/unit
01069312	1	piece
FIAT Grande Punto (05-) - 3362	MERCEDES E-Class W212 (09-16) - 5371	


Profile roll No. 13 for T-X1 precision application tool

Article number	Content	Item/unit
01069313	1	piece
HYUNDAI Santa Fe III (12-18) - 4153	KIA Carens (13-) - 4443	
HYUNDAI Sonata IV (05-10) - 4130	KIA Optima (12-15) - 4441	
HYUNDAI i30 (12-17) - 4151	KIA Rio (11-17) - 4440	
HYUNDAI i40 (11-) - 4146	KIA Sorento (09-14) - 4437	
HYUNDAI ix20 (10-) - 4142	KIA Venga (09-) - 4435	
	KIA cee'd (12-18) - 4442	


Profile roll No. 14 for T-X1 precision application tool

Article number	Content	Item/unit
01069314	1	piece
CITROEN Jumper II (06-14) - 2737	PEUGEOT 208/2008 (13-19) - 6564	
FIAT Ducato III (06-14) - 3750	PEUGEOT 508 (10-18) - 6562	
MERCEDES M-Class W166 (11-15) - 5378	PEUGEOT Boxer II/Boxer II facelift (06-14) - 6552	

Profile roll No. 15 for T-X1 precision application tool

Article number	Content	Item/unit
01069315	1	piece
PORSCHE 911 (11-15) - 6731	PORSCHE Cayman (13-) - 6734	
PORSCHE Boxster (12-) - 6733		



Profile roll No. 16 for T-X1 precision application tool

Article number	Content	Item/unit
01069316	1	piece
AUDI A3 Conv. (08-13) - 8599	VW Golf Plus (05-13) - 8583	
AUDI A5 Conv. (09-17) - 8602	VW Golf Variant/Jetta (07-13) - 8586	
MERCEDES CLS W218 Cpé./CLS X218 Shooting Brake (11-) - 5372	VW Jetta (11-) - 8612	
VW Golf A7 (12-19) - 8618	VW Polo (09-17) - 8603	



Profile roll No. 17 for T-X1 precision application tool

Article number	Content	Item/unit
01069317	1	piece
CITROEN C5 (08-17) - 2740	SKODA Fabia II/Roomster (07-14) - 7811	
FIAT 500 (07-) - 3366	SKODA Octavia II (04-13) - 7810	
FIAT Croma II (05-10) - 3361	SKODA Superb (08-15) - 7812	
FIAT Stilo 3dr (01-07) - 3356	SKODA Yeti (09-) - 7813	
FIAT Stilo 5dr (01-07) - 3355	VOLVO C30/S40/V50 (04-12) - 8832	
PEUGEOT 207 (06-12) - 6548	VOLVO S80/V70/XC70 (07-16) - 8836	
PEUGEOT 307 (01-07) - 6542	VOLVO XC60 (08-17) - 8840	
PEUGEOT 308 CC (09-13) - 6559	VOLVO XC90 (02-14) - 8831	
PORSCHE Cayenne (10-17) - 6729	VW Touareg (10-18) - 8606	
SKODA Fabia I (00-07) - 7808		





Head office

PMA/TOOLS GmbH

Siemensring 42
47877 Willich/Germany
Tel.: +49 2154 922230
Fax: +49 2154 922255
E-Mail: info@pma-tools.de
www.pma-tools.de

Subsidiaries

PMA/TOOLS FRANCE

Z.A.-214, rue de la Warnave
59850 Nieppe
Tél.: +33 320 970249
Fax: +33 320 326140
E-Mail: info@pma-tools.fr
www.pma-tools.fr

PMA/TOOLS España S.L.U.

Sta. Margarida de Boada Vell 7-9
P.I. Riera de Caldes, Nave 12
08184 Palau-solità i
Plegamans (BCN)
Tel.: +34 93 8648517
Fax: +34 93 8640020
E-Mail: info@pma-tools.es
www.pma-tools.es

PMA/TOOLS Inc.

201 Mills St.
East Flat Rock
NC 28726, USA
Tel.: +1 828 2334060
Fax: +1 828 2334070
E-Mail: info@pmatools.com
www.pmatools.com

PMA Tools Co. Ltd.

Building No. 8
East Guangzhou Road No. 188
215413 Taicang
Jiangsu Province
P.R. China
Tel.: +86 512 33011211
E-Mail: china@pma-tools.com