



# ADHESIVES

## Convincing. Products that deliver what they promise.

Windscreens on today's vehicles are designed to be part of the structure of the vehicle and also act as a support for passenger air-bag inflation, helping to protect the vehicle occupants in the case of a collision. This can only be ensured when using the correct high-quality adhesives and primers to achieve the required bond between the vehicle body and glass.

Our PT PLUS range of adhesives and primers have been specially developed to meet the stringent requirements for the automotive replacement glass industry.

### Adhesives provide highest quality features:

- 1** Our products comply with automobile manufacturer specifications and approval (OEM supplier quality).
- 2** short drive-away times (complies with FMVSS 212/208)
- 3** OEM audited
- 4** excellent processing properties
- 5** can be used for mobile, as well as workshop applications
- 6** compatible with PT PLUS primers, cleaners and activators

**60/60  
min.**



### PT 290 PLUS HM/LC

PT 290 PLUS HM/LC is a high modulus 1-component polyurethane sealant for bonding vehicle windscreens. It cures very quickly in ambient temperatures by reaction with air humidity.

| Article number | Quantity | Content | Item/unit  |
|----------------|----------|---------|------------|
| 13345003       | 310 ml   | 12      | cartridges |
| 13345004       | 400 ml   | 20      | bags       |
| 13345005       | 600 ml   | 20      | bags       |

### PT 290 PLUS HM/LC kit incl. PT All-in-1 PLUS, 12 pcs. in box

PT 290 PLUS HM/LC is a high modulus 1-component polyurethane sealant for bonding vehicle windscreens. It cures very quickly in ambient temperatures by reaction with air humidity.

| Article number | Content | Item/unit |
|----------------|---------|-----------|
| 13345007       | 12      | sets      |



**30  
min.**



**PT SAFE PLUS HM/LC**

PT SAFE PLUS HM/LC is a high modulus 1-component polyurethane sealant for bonding vehicle windcreens. It cures very quickly in ambient temperatures by reaction with air humidity.

| Article number | Quantity | Content | Item/unit  |
|----------------|----------|---------|------------|
| 13345076       | 310 ml   | 12      | cartridges |
| 13345077       | 400 ml   | 20      | bags       |

**One-  
step**



**PT All-in-1 PLUS**

PT All-in-1 PLUS is a combined glass primer/activator with a short flash-off period. It can be used when replacing windcreens, back- and sidelights on both the silk print area and on the old sealant (remaining bead).

It can also be applied to the bodywork and on freshly painted surfaces. PT All-in-1 PLUS protects the polyurethane against UV radiation and ensures a high-quality bonding.

| Article number | Quantity | Content | Item/unit |
|----------------|----------|---------|-----------|
| 13345048       | 30 ml    | 1       | piece     |
| 13345048-12    | 30 ml    | 12      | pieces    |
| 13345043       | 100 ml   | 1       | piece     |
| 13345043-10    | 100 ml   | 10      | pieces    |
| 13345044       | 250 ml   | 1       | piece     |
| 13345044-12    | 250 ml   | 12      | pieces    |

**PT 725 PLUS Glas-/Lack-Primer**

Solvent-containing glass and body composite primer for application to the silk print and to the paint of the bodywork.



| Article number | Quantity | Content | Item/unit |
|----------------|----------|---------|-----------|
| 13345034       | 100 ml   | 1       | piece     |
| 13345034-10    | 100 ml   | 10      | pieces    |
| 13345033       | 250 ml   | 1       | piece     |
| 13345033-12    | 250 ml   | 12      | pieces    |

**PT 750 PLUS Aktivator**

Transparent solvent-based glass and PU activator for black primer-free gluing of vehicle windcreens. PT 750 PLUS is a cleaner, transparent primer and activator combined in one product. PT 750 PLUS is applied on the remaining beading to activate the old polyurethane. PT 750 PLUS is also used for cleaning and improving adhesion with all surfaces such as glass silk print, paintwork, remaining beading and windcreens pre-laminated at works.



| Article number | Quantity | Content | Item/unit |
|----------------|----------|---------|-----------|
| 13345035       | 250 ml   | 1       | piece     |
| 13345035-12    | 250 ml   | 12      | pieces    |



## Head office

### **PMA/TOOLS AG**

Siemensring 42  
47877 Willich/Germany  
Tel.: +49 2154 922230  
Fax: +49 2154 922255  
E-Mail: [info@pma-tools.de](mailto:info@pma-tools.de)  
[www.pma-tools.de](http://www.pma-tools.de)

## Subsidiaries

### **PMA/TOOLS FRANCE**

Z.A.-214, rue de la Warnave  
59850 Nieppe  
Tél.: +33 320 970249  
Fax: +33 320 326140  
E-Mail: [info@pma-tools.fr](mailto:info@pma-tools.fr)  
[www.pma-tools.fr](http://www.pma-tools.fr)

### **PMA/TOOLS Inc.**

201 Mills St.  
East Flat Rock  
NC 28726, USA  
Tel.: +1 828 2334060  
Fax: +1 828 2334070  
E-Mail: [info@pmatools.com](mailto:info@pmatools.com)  
[www.pmatools.com](http://www.pmatools.com)

### **PMA/TOOLS España S.L.U.**

Sta. Margarida de Boada Vell 7-9  
P.I. Riera de Caldes, Nave 12  
08184 Palau-solità i  
Plegamans (BCN)  
Tel.: +34 93 8648517  
Fax: +34 93 8640020  
E-Mail: [info@pma-tools.es](mailto:info@pma-tools.es)  
[www.pma-tools.es](http://www.pma-tools.es)

### **PMA Tools Co. Ltd.**

Building No. 8  
East Guangzhou Road No. 188  
215413 Taicang  
Jiangsu Province  
P.R. China  
Tel.: +86 512 33011211  
E-Mail: [china@pma-tools.com](mailto:china@pma-tools.com)